

HR Coil – Soft

Quantity : 96.188 MT

Origin : Taiwan

NO	Item	Thickness (mm)	Width (mm)	Weight (kg)
1	HR	1.5	1255	724
2	HR	1.5	1230	756
3	HR	1.5	1275	714
4	HR	1.5	1235	878
5	HR	1.5	1225	878
6	HR	1.5	1230	716
7	HR	1.6	1225	754
8	HR	1.7	1035	716
9	HR	1.7	1220	758
10	HR	1.7	1020	750
11	HR	1.8	1135	1092
12	HR	1.8	1235	728
13	HR	1.8	1215	740
14	HR	1.8	1015	714
15	HR	1.8	1230	1224
16	HR	1.9	1280	762
17	HR	1.9	1260	738
18	HR	1.9	1275	722
19	HR	1.9	1210	740
20	HR	1.9	1260	718
21	HR	1.9	1230	720
22	HR	1.9	1225	722
23	HR	1.9	1230	1250
24	HR	1.9	1270	1164
25	HR	2	905	1480
26	HR	2	1060	1718
27	HR	2	1300	762
28	HR	2	945	566
29	HR	2	1275	1366
30	HR	2	940	1240
31	HR	2	1245	1034
32	HR	2.1	990	2014
33	HR	2.1	1250	1906
34	HR	2.1	1230	726
35	HR	2.1	1175	1026
36	HR	2.2	1160	1410
37	HR	2.2	1235	760
38	HR	2.2	1235	722
39	HR	2.2	945	718
40	HR	2.2	1235	856
41	HR	2.2	1230	788
42	HR	2.3	1225	750
43	HR	2.3	1230	740

44	HR	2.3	1245	720
45	HR	2.3	1100	722
46	HR	2.3	1270	1056
47	HR	2.4	1230	724
48	HR	2.4	1225	734
49	HR	2.4	1250	810
50	HR	2.7	1205	1100
51	HR	2.8	955	740
52	HR	2.8	1230	722
53	HR	2.8	1180	742
54	HR	2.9	1280	1078
55	HR	3	1260	738
56	HR	3.1	1245	892
57	HR	3.1	1245	948
58	HR	3.1	1240	820
59	HR	3.1	1230	816
60	HR	3.1	1650	1686
61	HR	3.1	1225	724
62	HR	3.1	920	762
63	HR	3.2	1240	940
64	HR	3.2	1190	724
65	HR	3.2	1190	720
66	HR	3.2	1230	768
67	HR	3.2	1230	752
68	HR	3.2	1230	736
69	HR	2.9	1050	514
70	HR	3.2	1230	860
71	HR	3.2	1110	774
72	HR	3.2	1110	722
73	HR	3.2	1230	856
74	HR	3.2	1245	714
75	HR	3.2	1145	920
76	HR	3.2	1230	724
77	HR	3.3	1230	718
78	HR	3.3	1275	740
79	HR	3.4	1380	2084
80	HR	3.3	965	662
81	HR	3.4	1220	774
82	HR	3.4	1240	1688
83	HR	3.4	1030	840
84	HR	3.5	950	2678
85	HR	3.5	1210	1502
86	HR	3.5	1290	2106
87	HR	3.5	1030	1570
88	HR	3.5	1240	2166
89	HR	3.5	1100	2486

90	HR	3.5	940	1974
91	HR	3.5	1240	2816
92	HR	3.5	925	1884
93	HR	3.6	1190	902
94	HR	3.7	1245	1080
				96188